

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended) A method of communicating between at least two electronic entities having contactless communication means, said method comprising:

using a communication management unit to control at least part of the process of communication between said at least two microcircuit cards, said communication management unit employing a command-response protocol using said contactless communication means to communicate with said electronic entities upon said electronic entities being within a radius of action of said communication management unit;

~~receiving and~~ storing in said communication management unit a list of said electronic entities that are within the radius of action of said communication management unit; and

receiving and storing in said communication management unit a message intended for at least one of said electronic entities upon the addressee electronic entity being temporarily out of the radius of action of the communication management unit.

2. (previously presented) The method according to claim 1, wherein said electronic entities constitute a network of acquaintances.

3. (cancelled)

4. (previously presented) The method according to claim 1, wherein each of said at least two electronic entities is associated with a unique identifier.

5. (previously presented) The method according to claim 4, wherein each identifier is associated with a service or family code.

6. (withdrawn) The method according to claim 1, characterized in that it includes a step of creating a mailbox in the communication management means (10) when said list includes a new electronic entity, said mailbox being adapted to receive and store messages sent to or by said new electronic entity.

7. (previously presented) The method according to claim 2, wherein, upon said list including a new microcircuit card, the method further comprising a step of adding the new electronic entity to said network of acquaintances as a function of at least one predetermined criterion.

8. (withdrawn) The method according to claim 1, characterized in that it includes steps whereby said communication management means (10):

- scan (E80) said list of electronic entities,
- ask (E84) each electronic entity if it has a message to send, and if so:

- store (E90) said message in a mailbox,
- send (E94) said message to the electronic entity that is the addressee of the message when it can be contacted, and then:

- eliminate (E98) the message from said mailbox.

9. (withdrawn) The method according to claim 1, characterized in that said mailbox is an inbox.

10. (withdrawn) The method according to claim 1, characterized in that it involves at least three electronic entities and in that said communication management means (10) are combined with one of said electronic entities.

11. (withdrawn) The method according to claim 1, characterized in that said communication management means (10) serve as a proxy for accessing at least one of said at least two electronic entities.

12. (withdrawn) The method according to claim 1, characterized in that it includes a step of assigning a time to live (TTL) to each message awaiting reception by an addressee electronic entity.

13. (withdrawn) The method according to claim 1, characterized in that it includes a step of assigning a priority (P) to each message exchanged in the context of said command-response protocol.

14. (withdrawn) The method according to claim 1, characterized in that it is adapted to broadcast a message (BROADCAST) from one of said at least two electronic entities to all the other electronic entities.

15. (cancelled)

16. (cancelled)

17. (previously presented) The method according to claim 1, wherein at least one of said at least two electronic entities is secure.

18. (cancelled)

19. (previously presented) The method according to claim 1, wherein at least one of said electronic entities is a loyalty card.

20. (previously presented) The method according to claim 1, wherein at least one of said electronic entities is a payment card.

21. (previously presented) The method according to claim 1, wherein the method ensures continuity of communication involving one of said electronic entities and an antenna from a plurality of antennas connected to the communication management means when said electronic entity moves in such a manner that said communication involves another antenna from said plurality of antennas.

22. (withdrawn) The method according to claim 1, characterized in that said electronic entities participate in a process of personalizing a contactless object and in that said process includes at least one step of mutual authentication of the electronic entities, reciprocal or otherwise.

23. (withdrawn) The method according to claim 1, characterized in that said process includes passing the object (44) to be personalized in front of a plurality of stations (46) each including wireless communication means connected to the communication management means (10) and in that said method ensures continuity of the personalization process when the object passes from one station to the next.

24. (cancelled)

25. (currently amended) A communication system comprising:

at least two electronic entities having contactless communication means;

a communication management unit that employs a command-response protocol to communicate with said at least two electronic entities using said contactless communication means upon said microcircuits cards being within a radius of action of said communication management unit, said communication management unit having ~~received and~~ stored therein a list of said electronic entities that are within the radius of action of said communication management unit,

wherein the at least one of said electronic entities communicates with said communication management unit using said contactless communication means, and

wherein said communication management unit includes means for receiving and storing a message intended for at least one of said electronic entities upon the addressee electronic entity being temporarily out of the radius of action of the communication management unit.

26. (previously presented) The method according to claim 1, wherein said list of said electronic entities in the communication management means includes a list of all said electronic entities in communication with the communication management means separate from a list of said electronic entities in communication with other said microcircuit cards.

27. (previously presented) The method according to claim 1, wherein the proximity card with a 10cm range complies with ISO/IEC standard 14443 and the vicinity card with a 70cm range complies with ISO/IEC standard 15693.

28. (previously presented) The communication system according to claim 25, wherein the proximity card with a 10cm range complies with ISO/IEC standard 14443 and the vicinity card with a 70cm range complies with ISO/IEC standard 15693.

29. (previously presented - withdrawn) The method according to claim 1, wherein the method comprises a step of creating a mailbox in the communication management unit when said list includes a new electronic entity that is able to exchange messages with at least one of the microcircuit cards, said mailbox being adapted to receive and store messages sent to or by said new microcircuit card, and wherein a message intended for a electronic entity when the addressee electronic entity is temporarily out of range of the communication management unit, is stored in the mailbox created for: said addressee microcircuit card.

30. (previously presented - withdrawn) The communication system according to claim 25, wherein said communication management unit includes means for creating a mailbox when said list includes a new electronic entity that is able to exchange messages with at least one of the microcircuit cards, said mailbox being adapted to receive and store messages sent to or by said new microcircuit card.

31. (new) The method according to claim 1, wherein at least one of said at least two electronic entities is a contactless microcircuit card